

**Seat and Back**

One piece plywood shell is made from eucalyptus wood and is 1/2" thick. Surface of shell is high pressure laminate (HPL) from Formica. Available in white, natural or espresso colors. Shell is secured to steel frame with metal inserts and (4) bolts. Shell has 2" waterfall seat. Handhold cut out for easy movement and stacking.

**Optional Upholstery**

Foam is 1/2" thick, 1.8# with a 60ILD density. Foam is attached to 1/4" plywood waterfall seat then upholstery is pulled and stapled to underneath. Upholstered seat has T-nuts and is secured on top of plywood shell and secured with screws underneath seat shell. Plywood seat is FSC certified.

**Frames**

Legs are 12-gauge 3/4" round tubed steel. Cross braces are 12-gauge 1/2" round tubed steel and welded to legs using CO2 welding joints. Cross-braces and legs are secured with (4) 4 1/2" solid steel plates. Each 3mm plate is welded to frame using (4) CO2 welding joints. Steel plates support shell and are secured to shell with 4 bolts that fasten into metal inserts on plywood shell. Stools have 5/8" round 12-gauge steel footrest welded to legs with CO2 welding joints.

**Frame Finishes**

Frames are available in chrome or sandtex white and black using baked on electrostatically process. Powder-coat is VOC free. (No Volatile Organic Compounds)

**Glides**

Non-marring black nylon, 1/8" H & 3/4" diameter. Glides are secured into tubed frame with ribbed retention.

**Weight Ratings**

ANSI-BIFMA up to 300 lbs.



### **Sustainability**

All Jive products are Indoor Air Quality Gold Certified through Intertek. See full sustainability story at <https://www.kfistudios.com/Literature/Environmental>

### **Frames**

10% Pre-Consumer Recycled Content. VOC free powder-coating process.

### **Foam**

100% Recyclable. CertiPUR-US certified - no ozone depleters, no mercury, lead, formaldehyde or phthalates. Low VOC (Volatile Organic compound) emissions for indoor air quality. Contains natural oil poly.

### **Glides/Casters**

5-10% Pre-Consumer Recycled Content.

### **Hardware**

10% Pre-Consumer Recycled Content.

### **Carton/Packaging**

20% Pre-Consumer Recycled Content.



### Seat and Back

One piece plywood shell is made from eucalyptus wood and is 1/2" thick. Surface of shell is high pressure laminate (HPL) from Formica. Available in white, natural or espresso colors. Shell is secured to steel frame with metal inserts and (4) bolts. Shell has 2" waterfall seat. Handhold cut out for easy movement and stacking.

### Optional Upholstery

Foam is 1/2" thick, 1.8# with a 60ILD density. Foam is attached to 1/4" plywood waterfall seat then upholstery is pulled and stapled to underneath. Upholstered seat has T-nuts and is secured on top of plywood shell and secured with screws underneath seat shell. Plywood seat is FSC certified.

### Frames

Legs are 12-gauge 3/4" round tubed steel. Cross braces are 12-gauge 1/2" round tubed steel and welded to legs using CO2 welding joints. Cross-braces and legs are secured with (4) 4 1/2" solid steel plates. Each 3mm plate is welded to frame using (4) CO2 welding joints. Steel plates support shell and are secured to shell with 4 bolts that fasten into metal inserts on plywood shell. Stools have 5/8" round 12-gauge steel footrest welded to legs with CO2 welding joints.

### Frame Finishes

Frames are available in chrome or sandtex white and black using baked on electrostatically process. Powder-coat is VOC free. (No Volatile Organic Compounds)

### Glides

Non-marring black nylon, 1/8" H & 3/4" diameter. Glides are secured into tubed frame with ribbed retention.

### Weight Ratings

ANSI-BIFMA up to 300 lbs.



### **Sustainability**

All Jive products are **Indoor Air Quality Gold Certified** through Intertek. See full sustainability story at <https://www.kfistudios.com/Literature/Environmental>

### **Frames**

10% Pre-Consumer Recycled Content. VOC free powder-coating process.

### **Foam**

100% Recyclable. CertiPUR-US certified - no ozone depleters, no mercury, lead, formaldehyde or phthalates. Low VOC (Volatile Organic compound) emissions for indoor air quality. Contains natural oil poly.

### **Glides/Casters**

5-10% Pre-Consumer Recycled Content.

### **Hardware**

10% Pre-Consumer Recycled Content.

### **Carton/Packaging**

20% Pre-Consumer Recycled Content.

**Seat and Back**

One piece plywood shell is made from eucalyptus wood and is 1/2" thick. Surface of shell is high pressure laminate (HPL) from Formica. Available in white, natural or espresso colors. Shell is secured to steel frame with metal inserts and (4) bolts. Shell has 2" waterfall seat. Handhold cut out for easy movement and stacking.

**Optional Upholstery**

Foam is 1/2" thick, 1.8# with a 60ILD density. Foam is attached to 1/4" plywood waterfall seat then upholstery is pulled and stapled to underneath. Upholstered seat has T-nuts and is secured on top of plywood shell and secured with screws underneath seat shell. Plywood seat is FSC certified.

**Frames**

Legs are 12-gauge 3/4" round tubed steel. Cross braces are 12-gauge 1/2" round tubed steel and welded to legs using CO2 welding joints. Cross-braces and legs are secured with (4) 4 1/2" solid steel plates. Each 3mm plate is welded to frame using (4) CO2 welding joints. Steel plates support shell and are secured to shell with 4 bolts that fasten into metal inserts on plywood shell. Stools have 5/8" round 12-gauge steel footrest welded to legs with CO2 welding joints.

**Frame Finishes**

Frames are available in chrome or sandtex white and black using baked on electrostatically process. Powder-coat is VOC free. (No Volatile Organic Compounds)

**Glides**

Non-marring black nylon, 1/8" H & 3/4" diameter. Glides are secured into tubed frame with ribbed retention.

**Weight Ratings**

ANSI-BIFMA up to 300 lbs.



### **Sustainability**

All Jive products are **Indoor Air Quality Gold Certified** through Intertek. See full sustainability story at <https://www.kfistudios.com/Literature/Environmental>

### **Frames**

10% Pre-Consumer Recycled Content. VOC free powder-coating process.

### **Foam**

100% Recyclable. CertiPUR-US certified - no ozone depleters, no mercury, lead, formaldehyde or phthalates. Low VOC (Volatile Organic compound) emissions for indoor air quality. Contains natural oil poly.

### **Glides/Casters**

5-10% Pre-Consumer Recycled Content.

### **Hardware**

10% Pre-Consumer Recycled Content.

### **Carton/Packaging**

20% Pre-Consumer Recycled Content.